

Abstracting and Coding Boot Camp: Cancer Case Scenarios

NAACCR 2016-2017 Webinar Series

Presented by:

Angela Martin amartin@naaccr.org

Jim Hofferkamp jhofferkamp@naaccr.org



●●● Q&A

- Please submit all questions concerning webinar content through the Q&A panel.
- Reminder:
 - If you have participants watching this webinar at your site, please collect their names and emails.
 - We will be distributing a Q&A document in about one week. This document will fully answer questions asked during the webinar and will contain any corrections that we may discover after the webinar.

●●● Fabulous Prizes



●●● Agenda

- 2017 Data Changes
- Medical Terminology and Anatomy Quiz
- Epi Moment
- General Summary Stage Quiz
- TNM and Summary Stage Quiz
- Case Scenarios
- Take Home Quizzes
 - ICD-O-3 and MPH Quiz
 - Site Specific Factors Quiz

2017 Update

●●● For Cases Diagnosed in 2017

- No reportability changes
- Continue to use the 2007 Multiple Primary and Histology Rules
- NAACCR Version 16D metafile is required
- Refer to the 2016 Implementation Guidelines

●●● CoC Reporting Requirements

- Will continue to use NAACCR Standards Volume II, Version 16
- No changes to reporting requirements for 2017

●●● CoC Reporting Requirements cont.

- FORDS: Revised for 2017
 - Allowable values for Sex corrected to 1-6, 9
 - For Mets at Dx-Other following code has been added:
 - 2: Generalized metastases such as carcinomatosis
 - Coding Clarifications were made to Tumor Size Summary
 - Site-Specific Surgery Codes for SKIN updated to state “1 cm or more”

●●● NPCR Reporting Requirements

- Will continue using NAACCR Standards Volume II, Version 16
- No changes to reporting requirements for 2017

●●● SEER Reporting Requirements

- Will continue to use NAACCR Standards Volume II, Version 16
- No changes to reporting requirements for 2017
- Registries collecting Collaborative Staging data items will continue to do so for 2017 diagnoses.
- 2016 SEER Program Coding and Staging Manual

●●● SEER Reporting Requirements cont.

- Revised Coding Instructions
 - Tumor Size – Clinical
 - Tumor Size - Pathologic
 - Tumor Size - Summary
 - Mets at Dx – Bone
 - Mets at Dx – Brain
 - Mets at Dx – Liver
 - Mets at Dx – Lung
 - Mets at Dx – Distant Lymph Node(s)
 - Mets at Dx - Other

https://seer.cancer.gov/manuals/2016/SPSCM_2016_Revised_Coding_2017.pdf

●●● CCCR Reporting Requirements

- Implementation of Standards Volume II, Version 16, Chapter VIII, Required Status Table CCCR Column
- Continued use of Collaborative Stage Data Collection System Version 02.05 until end of 2017 diagnosis year

●●● ICD-O-3 Histologies **THIS IS BEING REVIEWED**

- Reportability of NIFTP as a New Term for EFVPTC effective*
January 1, 2017
 - Noninvasive follicular thyroid neoplasm with papillary –like nuclear features (NIFTP) is a synonym for Encapsulated Follicular variant of papillary thyroid carcinoma (EFVPTC)
 - Code as 8343/2
 - If invasive or NOS code as 8343/3
- Bronchiolo-alveolar is dropped from preferred terms*
 - Invasive mucinous Adenocarcinoma (8253/3)
 - Mixed invasive mucinous and non-mucinous adenocarcinoma (8254/3)

Questions?

Quiz 1

Medical Terminology and
Anatomy

Questions?

Epi Moment

Location

Theme song:



Home on the Range

••• Address at diagnosis

- Incidence, mortality, treatment, and survival
 - Vary by geography
- Map data, visualize relationships, generate hypotheses
- Geospatial research
 - Relationships among place and health
 - Proxy for class/income, physical access to care, regional systems
 - Environmental, demographic, proximity to care, group-level effects, cancer clusters

The address is part of the patient's demographic data and has multiple uses. It can be used to evaluate referral patterns, allows for the analysis of cancer cluster concerns, and supports epidemiological studies that use area-based social measures.

Address variables

- Address at DX (descriptive epidemiology & research)
 - Addr at DX—No & Street #2330
 - Addr at DX—Supplementl #2335
 - Addr at DX—City #70
 - Addr at DX—State #80
 - **Addr at DX—County #90**
 - **Addr at DX—Postal Code #100**
- Address Current (Patient contact, linkage)
 - Addr Current—No & Street #2350
 - Addr Current—Supplementl #2355
 - Addr Current—State #1820
 - Addr Current—City #1810
 - Addr Current—Postal Code #1830
- Geocoded fields
 - State, county, tract for each census (1990, 2000, 2010)
 - ABSM
 - Urban/rural status, % living in Poverty (Krieger codes), Urban/Rural Commute
 - Based on County & Tract
 - Yost composite SES variable
 - AI/AN CHSDA, %Hispanic County for NHIA



Key Changes

- Coordinated with CDC, CoC, NCI
 - Will be reflected in NAACCR Vol II and FORDS
 - Updated, clarified, standardized language
- No PO Boxes in address at diagnosis fields
 - Both CoC and NAACCR fields
- Request PO Box address stored in Supplemental Address
 - Feedback (possible residential and mailing address at dx)
- Central Registries
 - Geocoding requirements based on diagnosis year have changed (Clarification of NPCR Required Status)
 - “double” geocoding for some years
 - County at DX—Analysis field



New Language

Address at diagnosis

- This field is intended to store ZIP Code or other postal code for the patient's physical, residential address. All efforts should be made to find the patient's true street address and postal code, including reviewing relevant sources outside the medical record if available. The postal code for a PO Box mailing address should only be recorded when no other address information is available in the medical record and no other information sources are available.
- Do not update this item if the patient's residential address changes. Store updated address information in the affiliated current address data items. Only update based on improved information on the residential address at time of diagnosis. For instance, it is appropriate to correct a zip code during the geocoding or consolidation process.

Supplemental

- Record the name of the place or facility (for example nursing home, apartment complex, prison/jail or group home) of the patient's residence when the tumor was diagnosed. Do not use this item for information stored in other address items such as Addr At DX—NO & Street [2330].
- Record a full residential PO Box here (including city & zipcode) or other non-physical, residential mailing address here.
- Record HOMELESS here when the street address used is a shelter or diagnosing facility for persons with no usual residence.

...“GIGO”

- Quality of address information impacts geocoding
 - Completeness (measurable)
 - Accuracy (uncertain)
- Common errors
 - Transposed zip codes
 - Misspelled street names
 - Vanity or local names (FR Capaddanno, MLK)
 - Missing or incorrect directional prefix (N, NE)
 - Missing or incorrect street type (Trail, Terrace)
- Often results in a high quality geocode but **WRONG** location!



Questions?

Quiz 2

General Summary Stage

Break

Quiz 3

TNM vs Summary Stage

Questions?

Case Scenarios

Abstract Text

Questions?

Take Home Quizzes

Histology Coding
Multiple Primary & Histology
Site Specific Factors

Questions?

●●● And Our Fabulous Prizes Go To...



●●● Coming Up....

- Collecting Cancer Data: Lip and Oral Cavity
 - 4/13/2017
- Multiple Primary and Histology Rules
 - 5/4/2017

●●● CE Certificate Quiz Survey

- Phrase
 - No Changes
- Link
 - <http://www.surveymoz.com/s3/3383263/Boot-Camp-2017>

Thank You!

Jim Hofferkamp jhofferkamp@naaccr.org

Angela Martin amartin@naaccr.org

Recinda Sherman rsherman@naaccr.org

